

INDEX MAPS.

T.24N. R.15E. 2nd Mer.

	380		381		381		382		
384	6	388	5	392	4	398	3	2	1
	388		392		397-403		398		
384	7	387	8	392	9	397	10	11	12
	387		391		396		397		
383	18	387	17	391	16	396	15	14	13
	386		390		395		396		
383	19	386	20	390	21	395	22	23	24
	386		390		394		395		
38	30	385	29	389	28	394	27	26	25
	385		389		393		394		
382	31	385	32	389	33	393	34	35	36
	379		379		379		380		

State Line

Meadow 399

T.25N. R.15E.

2nd Mer.

	407		407		408		408		
410	6	404	5	408	4	414	3	2	1
	404		408		414		414		
410	7	413	8	408	9	413	10	11	12
	413		407		413		413		
409	18	413	17	407	16	412	15	14	13
	412		406		411		412		
409	19	412	20	406	21	411	22	23	24
	412		406		410		411		
409	30	411	29	405	28	410	27	26	25
	411		405		409		410		
408	31	410	32	404	33	409	34	35	36
	405		405		406		406		

State Line

Meadow 415

2
Township 24 North. Range 15 East 2nd Mer. Ia

379

chs. & lbs.

South Boundary.

Var. C. & E.

East On S. side of sec. 31.

40.00 Set gr. sec. post, from which
a Beech 10 in. dia. bears West 2 ch. dist.
a Do 8 " " " East 20 " "

63.00 a creek 20 lbs. wide Course N. E.

80.00 Set post cor. to sec. 31 & 32, fr. wh.
a Sugar 15 in. dia. bears N 60 W. 41 lb. dist.
a Elm 12 " " " East 17 " "
Level wet land Timber and und. of
various kinds.

East On S. side of sec. 32.

40.00 Set gr. sec. post, from which
a Br. Oak 12 in. dia. bears S 30 E. 30 lb. dist.
a Wh. Maple 24 in. " " N 10 W. 7 " "

49.10 passed the cor. of sec. 3 & 4 in the
Town south.

60.00 Road to Fort Wayne

80.00 Set post cor. to sec. 33 & 32, from wh.
a Wh. Oak 10 in. dia. bears S 89 W. 15 lb. dist.
a Sugar 12 " " " N 79 E. 16 " "
Land, same.

East On S. side of sec. 33.

23.00 a stream 10 lbs. wide Course N.

40.00 Set gr. sec. post, from which
a Beech 18 in. dia. bears S 86 E. 38 lb. dist.
a Do. 15 " " " S 51 W. 39 " "

60.25 passed cor. of sec. 2 & 3 in the ad-
joining Township

80.00 Set post cor. to sec. 32 & 33, fr. wh.
a Beech 12 in. dia. bears N 53 W. 13 lb. dist.
a Do. 14 " " " N 51 E. 25 lb. dist.
Land, same.

T. 24 N. R. 15 E. 2nd Mer. Ind^a

Ch^a 16^a

East on S. side of sec. 34.

40.00 Set gr. sec. post, from which
a Bl. Ash 6 in. dia. bears N 8 E. 12 lks. dist.
a Br. Oak 10 in. dia. " S 49 E. 20 " "

51.25 passed cor. of sec. 1 & 2, in the ad-
joining Township.

67.75 Intersect State line and set a
post * cor. of Towns 23 & 24 North
R. 15 East, from which
a Beech 12 in. dia. bears S 28 W. 18 lks. dist.
a Do. 12 " " " N 52 E. 14 " "
Land same.

* Note. This post is 26.23 North of ^{cor. to} Sec. 30 &
31. S. 6 S. R. 1 E. 1st Mer.

Surveyed in 1822.

By J. P. Kellogg, Dep. Sur.

North Boundary.

Var.

East on S. side of sec. 31. T. 25 N. R. 15 E.
20.63 a Beech 15 in. diam.

40.00 Set gr. sec. post, from which
a Hickory 12 in. dia. bears N 40 E. 31 lks. dist.
a S. Ash 16 " " " S 40 W. 14 " "

47.00 To the Wabash and set a meand. post
from which
a Br. Oak 20 in. dia. bears N 22 W. 6 lks. x
a Hickory 20 " " " S 2 E. 11 lks. dist.

49.15 Over River & set meand. post,
a Walnut 6 in. dia. bears N 77 E. 12 lks. x
a Hackberry 12 " " " S 6 W. 11 lks. dist.

60.00 To the Wabash 100 lks. wide and
set meander post, from which
a Wh. Elm 14 in. dia. bears N 54 E. 29 lks. dist.
a Do. 12 " " " N 69 W. 13 " "

62.00 a Hickory 18 in. diam on opposite side

T. 24 N. R. 15 E. 2nd Mer. Ind. 381

ch. 1/2 of the Wabash River for mt. post. fr. wh.
 a No. Oak 24 in. dia. bears N 27 W. 23 lb.
 66.50 a Brook 12 lb. wide Course N.
 80.00 Set post loc. to sec. 31 & 32, fr. wh.
 a Beech 24 in. dia. bears S 23 W. 15 lb. dist.
 a No. Elm 6 " " " N 8 E. 39 " "
 Land, level 2nd rate. Timb. Oak,
 Sugar, Beech & Spice.

East On S. side of Sec. 32. T. 25 N. R. 15 E.
 3.80 To the Wabash River Course N. W &
 still current & set meand. post, fr. wh.
 a Blackberry 16 in. dia. bears S 8 W. 11 lb. dist.
 a No. Elm 14 in. dia. for post.
 9.00 Over River, where a Burr Oak 24
 in. diam. for meand. post, from which
 a No. Oak 20 in. dia. bears S 65 E. 23 lb. dist.
 10.00 a House bears S 45 E.
 20.00 a House bears S 49 W.
 22.00 a Run 8 lb. wide Course S.
 40.00 Set gr. sec. post, from which
 a No. Oak 30 in. dia. bears N 80 W. 11 lb. dist. &
 a No. Elm 12 " " " S 4 E. 16 " "
 46.00 a Run 5 lb. wide Course S.
 47.00 Road from Ft. Recovery to Ft. Wayne.
 80.00 Set post loc. to Sec. 32 & 33, from which
 a Beech 20 in. dia. bears N 66 E. 15 lb. dist. &
 an Elm 24 " " " S 55 W. 37 " "
 Land, good for farming level.
 Timb. Beech Sugar Ash & Spice

East On S. side of Sec. 33. T. 25 N. R. 15 E.
 18.10 a Beech 24 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 12 in. dia. bears N 24 W. 25 lb. dist.
 a Hickory 16 " " " S 24 E. 4 lb. dist.

T. 24 N. R. 15 E. 2nd Mer. Ind. a

ch. W.

80.00 Set post Cor. to Sect. 33 & 34, from which
a Sugar 18 in. dia. bears S 57° W. 4 lks. dist.
a Do. 12 " " " N 73° E. 68 " "
Land good 2nd rate level. Beech,
Sugar Ash & Spice.

East On E. Side of Sec. 34, T. 25 N. R. 15 E.

6.00 a stream 10 lks. wide Course S.

23.00 To Wabash River 150 lks. wide Course
S. W. and set meand. post, from wh.
a Wh. Oak 24 in. dia. bears S 85° W. 4 lks. dist.
a Sugar 6 in. dia. is post.

25.00 Over River, Low ground, no trees.

26.70 To the Wabash 150 lks. wide C. N. E.
nothing further said.

28.43 opposite Side of River & set a
meand. post, from which
a Wh. Oak 14 in. dia. bears N 60° W. 10 lks. dist.
a Hickory 12 " " " N 56° E. 12 lks. dist.

40.00 Set ge. sec. post, from which
a Hickory 12 in. dia. bears S 75° W. 13 lks. dist.
a Sugar 8 " " " S 84° E. 10 " "

76.94 Intersect State line 11. ch. & 59 lks.
S. of the 101 mile post & set post.
from which
a Hickory 18 in. dia. bears N 58° E. 18 lks.
a Do. 12 " " " S 20° W. 13 lks. dist.
Land good 2nd rate rolling.
Beech, Sugar Ash &c.

Surveyed in 18—

By J. J. Worthington, D.S.

West Boundary.

Var. 5° 50' E.

North On E. Side of Sec. 36, T. 24 N. R. 14 E.

23.50 an Ash 24 in. diam.

T. 24 N. R. 15 E. 2nd Mer. Ind^a
 6th 46th

40.00 Set gr. sec. post from which
 a Hickory 20 in. dia. bears S 53 E, 10 lb. dist.
 & a Beech 13 " " " S 50 W, 15 " "

54.00 a Hickory 18 in. dia.
 80.00 300 Branch 5 ft. wide cr. N. W. and
 80.00 Set post cor. to Sec. 25 & 26, fr. wh.
 a Hickory 12 in. dia. bears S 70 W, 10 lb. dist.
 a Beech 12 " " " N 15 E, 34 " "
 Land, level & wet. Fir, Beech, Oak,
 Hickory &c.

North On E. side of Sec. 25. T. 24 N. R. 14 E.

15.48 an Ash 16 in. diam.

39.00 a creek 40 lb. wide course N. W.

40.00 Set gr. sec. post, from which
 an Ash 13 in. dia. bears S 34 W, 11 lb. dist. &
 an Oak 32 " " " N 31 E, 10 " "

80.00 Set post cor. to Sec. 24 & 25, from wh.
 a Beech 8 in. dia. bears S 42 E, 21 lb. dist.
 & a Sugar 13 " " " N 56 W, 17 " "
 Land, as before.

North On E. side of Sec. 24. T. 24 N. R. 14 E.

19.62 an Ash 12 in. diam.

40.00 Set gr. sec. post, from which
 a Hickory 13 in. dia. bears S 6 E, 21 lb. dist. &
 an Ash 24 " " " N 6 E, 25 " "

51.25 a Wh. Oak 24 in. diam.

80.00 Set post cor. to Sec. 13 & 24, fr. wh.
 an Oak 18 in. dia. bears S 7 W, 43 lb. dist. &
 an Elm 12 " " " S 75 W, 28 " "
 Land, same.

North On E. side of Sec. 18. T. 24 N. R. 14 E.

21.15 an Oak 30 in. diam.

40.00 Set gr. sec. post, from which
 a Beech 12 in. dia. bears S 9 E, 10 lb. dist. &

384 T. 24 N. R. 15 E. 2nd Mer. Ind^a

ch? Lk? a Beech 14 in. dia. bears N 8th 34 lb. dist.
58.10 an Ash 18 in. dia.
80.00 Set post cor. to Sec. 12 & 13, from which
an Elm 14 in. dia. bears S 32th W. 24 lb. dist.
va Do. 8 " " " N 32th E. 16 " "
Land, same as before.

North on E. side of Sec. 12. T. 24 N. R. 14 E.
23.50 a Beech 12 in. diam.
40.00 Set q. sec post, from which
a Beech 14 in. dia. bears S 35th W. 9 lb. dist.
va Sugar 13 " " " N 25th E. 41 " "
54.55 an Ash 18 " "
80.00 Set post cor. to Sec. 1 & 12, from which
a Beech 12 in. dia. bears S 35th W. 38 lb. dist.
a Sugar 8 " " " N 35th E. 17 " "
Land, level dry. Timber, Beech
Sugar Oak &c.

North on E. side of Sec. 1. T. 24 N. R. 14 E.
6.50 a Brook 10 lb. wide Course E.
20.30 a Sugar 12 in. diam.
40.00 Set q. sec post, from which
a Beech 14 in. dia. bears S 11th E. 28 lb. dist. &
a Do. 14 " " " N 30th W. 4 " "
66.75 a Hickory 20 in. diam.
71.00 a Brook 6 lb. wide Course N. W.
80.00 Set post cor. of Townships 24 & 25 N.
Ranges 14 & 15 East, from which
a Sugar 10 in. dia. bears S 4th W. 9 lb. dist.
va Hickory 12 " " " N 54th W. 12 " "
Land, the same as last mile.
March 2nd 1826.

Surveyed by
John M^c Donald,
Dep. Sur.

T. 24 N. R. 15 E. 2nd Mex. Ind. 385

Ch. Lk. Subdivision. Var. 6:00: E.

North Between sections 31 & 32.

Wednesday Dec. 18th 1822.

20.30 a Beech 10 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 6 in. dia. bears S 38 E, 16 lbs. dist.
a Do. 12 " " " N 57 W, 25 " "

26.50 Limber lost creek a stream 20 lbs.
wide course N.E.

72.50 a Buckeye 10 in. diam.

80.00 Set post cor. to sec. 29, 30, 31 & 32,
a wh. Ash 15 in. dia. bears S 34 E, 13 lbs. dist. &
a Hickory 6 " " " N 3 E, 46 " "
Land, 1st half mile rolling good
land. 2nd half level 3rd sate. -
Timb. Bl. Ash, Elm, Sugar, Oak,
Hickory &c. Ind. Jth. Iron wood, Spice
Water Beech, Sugar P. Ash, &c.

West An Random betwⁿ sec. 30 & 31.

40.00 Set temp. gr. Sec. post.

81.00 Intersect N & S line (W. Bdy.) 225 lbs. No f
post. Land, flat 3rd sate. Timb.
&c. the same.

West Corner line between sec. 30 & 31.

40.50 Set gr. Sec. post, from which
a Beech 8 in. dia. bears N 63 E, 24 lbs. &
a wh. Ash 6 in. dia. " 10 W, 4 " dist.

81.00 Sec. cor.

North Between sec. 29 & 30.

20.10 a wh. Ash 8 in. diam.

25.37 Limber lost creek runs W.

40.00 Set gr. Sec. post, from which

386 T. 24 N. R. 15 E. 2nd Mer. Ind. &
Ch. W.

an Iron wood 6 in. dia. bears N 79 W 10 lb.
a Beech 6 in. dia. bears N 87 E, 28 "
61.90 a Beech 12 " "
80.00 Set post cor. to Sec. 19, 20, 29 & 30, f. wh.
a Bl. Oak 10 in. dia. bears S 89 W 14 lb. dist.)
an Elm 18 " " " S 79 E, 25 " "
Land and Limb. the same.

West On Random between Sec. 19 & 30.
29.50 a Bl. Ash 15 in. dia.
40.00 Set temp. gr. Sec. post.
60.09 a Beech 6 in. diam.
80.00 Intersect W. Boundary at post.
Land &c, the same.

East Correct line betwⁿ Sec. 19 & 30.
40.00 Set gr. Sec. post. from which
a Beech 8 in. dia. bears West, 8 lb. dist.)
a Iron wood 6 in. " " S 81 E, 25 " "
80.00 Sec. cor.

North Between Sec. 19 & 20.
20.19 a Bl. Ash 6 in. diam.
40.00 Set gr. Sec. post. from which
a Sugar 10 in. dia. bears S 79 W 7 lb.
a Wh. Ash 8 " " " N 79 E, 25 lb. dist.)
61.50 an Elm 24 in. diam.
80.00 Set post cor. to Sec. 17, 18, 19 & 20, f. wh.
a Sugar 12 in. dia. bears S 69 W 14 lb. dist.
a Do. 6 " " " N 66 E, 14 " "
Land &c, the same.

West On Random between Sec. 18 & 19.
20.70 a Wh. Ash 18 in. diam.
40.00 Set temp. gr. Sec. post.
60.30 an Elm 20 in. dia.

T. 24 N. R. 15 E. 2nd Mer. Ind^a

Ch^a 100

80.00 Intersect W. boundary, 100 Ch^a S. of post.
Land & Timber: Same.

East corner line between Sec. 18 & 19.

40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears S 32 E, 39 Ch^a
a Do. 18 " " " West, 15 Ch^a
80.00 Sec. cor.

North Between Sec. 17 & 18.

20.20 a Wh. Ash 24 in. diam.

40.00 Set gr. Sec. post, from which
a Hickory 14 in. dia. bears N 36 W 40 Ch^a dist.
a Do. 14 " " " S 35 E, 17 " "

60.50 a Sugar 6 " "

80.00 Set post cor. to Sec. 7, 8, 17 & 18, fr. wh.
a Sugar 6 in. dia. bears N 57 W 25 Ch^a dist.
a Hickory 16 in. " " S 51 E, 24 " "
Land, &c, the same.

West On Random between Sec. 7 & 18.

20.60 a Wh. Oak 8 in. diam.

40.00 Set gr. Sec. post, (temp.)

62.00 a Wh. Ash 18 in. diam.

80.70 Intersect W. Boundary 10 Ch^a N. of post.
Land &c, the same.

East corner line betwⁿ Sec. 7 & 18.

40.35 Set gr. Sec. post, from which
a Hickory 14 in. dia. bears N 75 W 14 Ch^a dist.
a Do. 20 " " " S 75 E, 25 Ch^a dist.

80.70 Sec. cor.

North Between Sec. 7 & 8.

20.50 a Hickory 20 in. diam.

40.00 Set gr. Sec. post, from which

T. 24 N. R. 15 E. 2nd Mer. Ind^a

Ch. 24.

- a Hickory 24 in. dia. bears N 83 E. 32 lb. dist.
 a Sugar 18 " " " S 83 W. 18 " "
 60.50 a Dogwood 4 in. diam.
 68.50 a stream 15 lb. wide course W.
 80.00 Set post Cor. to Sec. 5, 6, 7 & 8, fr. wh.
 an Elm 18 in. dia. bears N 7 W. 16 lb. dist.
 a Spruce " " " S 21 W. 15 " "
 Land &c, the same.

West On Random betwⁿ Sec. 6 & 7.

- 6.00 a stream 15 lb. wide course N.
 20.50 a Wh. Ash 6 in. diam.
 40.00 Set temp. gr. sec. post.
 61.50 a Wh. Oak 14 in. diam.
 80.00 Set Intersect W. Boundary 60 lb. S. of
 post Land &c, the same.

East correct line betwⁿ Sec. 6 & 7.

- 40.00 Set gr. sec. post. from which
 a Hickory 15 in. dia. bears N 37 W. 7 lb. dist.
 a H. Oak 24 " " " S 37 E. 15 " "
 80.00 Sec. cor.

North Between Sec. 5 & 6.

- 15.10 a stream 15 lb. wide course N. E.
 19.90 a Hickory 18 in. dia.
 30.00 same stream course N. W.
 40.00 Set gr. sec. post. from which
 a Sugar 18 in. dia. bears N 38 W. 12 lb. dist.
 a H. Oak 24 " " " S 59 E. 15 lb. dist.
 65.00 a Dogwood 4 in. dia.
 81.00 Intersect N. Boundary 45 lb. East of
 post & set post cor. to Sec. 5 & 6, fr. wh.
 a B. Oak 10 in. dia. bears S 28 W. 30 lb. dist.
 a Beech 24 " " " S 65 E. 24 " "
 Land &c, same.

389

T. 24 N. R. 15 E. 2nd Mer. Ind^a

Ch^a M.

North Between Secs 32 & 33.

20.43 a Beech 12 in. diam.

40.00 Set gr. Sec. post, from which
a Sugar 12 in. dia. bears S 16 E. 7¹/₂ lks. dist.
a Beech 4 " " " S 87 W. 20 " "

50.00 a Stream 10 lks. wide Course N. E.

60.23 a H. Oak 20 in. diam.

79.00 a Stream 10 lks. wide Course W.

80.00 Set post cor. to Secs 28, 29, 32 & 33.

a Beech 14 in. dia. bears N 18 W. 5 lks. dist.

a Hickory 18 " " " N 88 E. 11 " "

Land, level 3¹/₂ rate. Timber Beech,

Oak, Hickory, Sugar, Elm, Ash &c.

Prod. gtb. Spice, P. Ash, Ironwood
Beech & all kinds.

West on Random between Secs 29 & 32.

2.50 a Stream 10 lks. wide Course N. W.

16.00 The road leading to Fort Wayne

20.05 a Beech 13 in. dia.

40.00 Set temp. gr. sec. post.

59.00 a Stream 12 lks. wide Course N. E.

60.00 an Elm 36 in. diam.

79.41 Intersect N & S. line 50 lks. S. of post.

Land and Timber the same.

East correct line between Secs 29 & 32.

19.91 a Wh. Ash 24 in. diam.

39.70 Set gr. Sec. post, from which

a W. Ash 10 in. dia. bears N 54 W. 12 lks. dist.

a Hickory 5 " " " N 77 E. 10 " "

79.41 Sec. cor.

North Between Secs 28 & 29.

20.00 a Dogwood 3 in. diam.

40.00 Set gr. Sec. post, from which

390

T. 24 N. R. 15 E. 2nd Mer. Ind^aC.P. Sp^a

- a Beech 20 in. diam. bears N 81 E. 12 lb. dist. &
 a Dogwood 14 in. diam. " N 82 W. 25 " "
 42.00 a Stream 10 lb. wide course N. W.
 60.25 a Beech 12 in. diam.
 80.00 Set post loc. to Sec 20, 21, 28 & 29, fr. wh.
 a Wh. Oak 30 in. dia. bears N 85 E. 14 lb. dist.
 a Beech 24 " " " S 47 W. 20 " "
 Land & c, the same.
 Dec. 19th 1822.

West On Random between Sec. 20 & 29.

- 20.74 a Beech 10 in. diam.
 23.50 To the Road.
 40.00 Set temp. gr. sec. post.
 60.90 a Hickory 18 in. diam.
 79.30 Intersect N & S. line at post.
 Land and Timb. the same.

East Correct line between Sec. 20 & 29.

- 39.65 Set gr. sec. post. from which
 a Wh. Oak 24 in. dia. bears N 20 W. 25 lb.
 a Hickory 14 " " " S 20 E. 10 lb. dist.
 79.30 Sec. loc.

North Between Sec. 20 & 21.

- 20.30 a Bl. Ash 12 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 12 in. dia. bears S 77 W. 8 lb. dist.
 a Lym 14 " " " N 45 E. 25 " "
 60.39 an Elm 12 " "
 80.00 Set post loc. to Sec. 16, 17, 20 & 21, fr. wh.
 a W. Oak 12 in. dia. bears N 63 W. 12 lb. dist.
 a Walnut 4 " " " N 66 E. 30 lb. dist.
 Land & c, the same.

West On Random between Sec. 17 & 20.

S. 24 N. R. 15 E. 2nd Mer. Ind^a
 C.P. Mt.

11.50 To The Road.

20.00 a Wh. Ash 20 in. diam.

40.00 set temp. gr. sec. post.

60.00 a Wh. Ash 18 in. diam.

78.80 Intersect N & S. line 30 lb. S. of post.
 Land &c. same.

East. Correct line between Sec. 17 & 20.

18.80 a Beech 12 in. diam.

39.40 Set gr. sec. post. from which
 a Beech 13 in. diam. bears S 15 W, 15 lb. dist.
 a Do. 14 " " " N 6 W, 10 " "

78.80 Sec. cor.

North Between Secs. 16 & 17.

20.16 a Beech 12 in. diam.

40.00 Set gr. sec. post. from which
 a Bt. Oak 14 in. dia. bears S 25 E, 14 lb. dist.
 a Hickory 10 " " " N 25 W, 15 " "

60.10 an Elm 15 " "

80.00 Set post cor. to Secs. 8, 9, 16 & 17, fr. wh.
 a Beech 12 in. dia. bears N 53 E, 14 lb. dist.
 a Do. 16 " " " S 71 W, 27 " "
 Land & Limb. & und. sth. nearly
 the same.

West An Handom betwⁿ Secs. 8 & 17.

16.00 To The Road.

20.62 a Beech 12 in. diam.

40.00 set temp. gr. sec. post.

60.23 a Sugar 14 in. diam.

79.63 Intersect N & S. line 30 lb. N. of post.
 Land &c. the same.

East correct line betwⁿ Secs. 8 & 17.

39.81 Set gr. sec. post. from which

392 S. 24 N. S. 15 E. 2nd Mer. Ind. a
Ch. Mt.

a Hickory 14 in. dia. bears S 8 E. 20 lb. dist.
a Do. 10 " " " N 50 W. 20 " "
79.62 Sec. loc.

North Between Sec. 8 & 9.

20.25 a Hickory 18 in. diam.
40.00 Set gr. sec. post. from which
a Bl. Ash 5 in. dia. bears S 73 E. 17 lb. dist.
an Elm 18 " " " N 39 W. 12 " "
60.19 a Wh. Oak 12 in. diam.
80.00 Set post loc. to Sec. 4, 5, 8 & 9, from wh.
a Hickory 13 in. dia. bears N 25 E. 20 lb. dist.
a Wh. Oak 24 " " " S 4 W. 10 lb. dist.
Land & c the same.

West On Random between Sec. 5 & 8.

16.00 To The Road.
20.23 a Hickory 14 in. diam.
29.00 a stream 10 lb. wide course N. E.
40.00 Set temp. gr. sec. post.
61.00 a Hickory 16 in. dia. bears
81.25 Intersect N & S line 65 lb. N. of post.
Land better. Timber & mud, the same
as on last mile.

East On correct line between Sec. 5 & 8.

20.50 a Hickory 18 in. dia.
40.60 Set gr. sec. post. from which
a Wh. Ash 14 in. dia. bears S 26 E. 14 lb. dist.
a W. Oak 5 in. dia. " N 33 E. 28 " "
81.25 Sec. loc.

North Between Sec. 4 & 5.

21.50 a Wh. Ash 14 in. diam.
40.00 Set gr. sec. post. from which
a Wh. Ash 12 in. dia. bears S 19 E. 38 lb. dist.

T. 24 N. R. 15 E. 2nd Mer. Ind. ^{Ch. 40.}

a Beech 24 in. dia. bears N 73° W. 4th dist.
 57.00 To the Wabash River & set a post.
 a wh. Oak 20 in. dia. bears South 11th dist.
 a Sugar 24 " " " N 83° E. 15 " "
 Dist. North across the River 1.75.
 set post on the North side
 nothing further said.

80.30 Intersect the N. Boundary 375th dist. East
 of post and set post Cor. to Sect. 4 & 5.
 a wh. Ash 4 in. dia. bears N 85° W. 8th dist.
 a Walnut 6 " " " S 20° E. 22 " "
 Land on the N. side of the River
 good. Timb. & c. the same.

North Between Sections 33 & 34.

22.00 a wh. Ash 18 in. diam.

40.00 Set gr. sec. post. from which
 a Sugar 15 in. dia. bears N 24° E. 28th dist.
 a wh. Oak 18 " " " N 45° W. 15th dist.

60.00 a Beech 12 in. diam.

80.00 Set post Cor. to Sect. 27, 28, 33 & 34, fr. wh.
 a Beech 12 in. dia. bears East 4th dist.

& an Elm 20 " " " N 37° W. 32 " "
 Land, flat & wet in places. Timbers
 Beech, Oak, Elm, Hickory, Ash, Sugar,
 Lyrus &c. Und. gth. of Spruce P.
 Ash Beech Sugar, Hickory Dogwood &c.

West On Random Sect. 28 & 33.

21.00 a Sugar 15 in. diam.

40.00 Set temp. gr. sec. post.

60.00 a Bl. Ash 8 in. diam.

78.00 a stream 10th wide course S.W.

80.00 Intersect N & S. line at post.
 Land & Timb. the same

394

S. 24 N. R. 15 E. 2nd Mer. Ind. #
Ch. 1st

East corner line betwⁿ Sec. 28 & 32.

40.00 Set gr. sec. post. from which
a Hickory 12 in. diam. bears S 26 W. 60 ft. &
a Beech 14 " " " N 26 E. 30 " ft.

80.00 Sec. cor.

East Between Sec. 27 & 34.

20.00 a Sugar 10 in. diam.

40.00 Set gr. sec. post. from which
a Beech 10 in. dia. bears N 46 E. 12 ft. dist.
a Do. 14 " " " S 41 W. 14 " "

60.00 a Bl. Ash 6 in. diam.

→ 69.00 Intersect the State line & set post
cor. to Sec. 27 & 34, from which
an Elm 10 in. dia. bears N 29 W. 10 ft. dist.
& a Maple 10 " " " S 21 W 10 " "
Land, flat & wet. Timber &c. the
same.

North Between Sec. 27 & 28.

21.00 a Wh. Oak 22 in. diam.

40.00 Set gr. sec. post. from which
an Elm 14 in. diam. bears S 67 E. 30 ft. dist.
a Wh. Oak 8 " " " N 40 W. 30 " "

66.00 a Dogwood 4 in. diam.

80.00 Set a. sec. post. ^{Cor. to Sec. 26, 22, 27 & 28.} from which
a Beech 10 in. diam. bears N 36 E. 20 ft. dist.
a Do. 8 " " " S 41 E. 14 " "
Land and Timber same.

West On Random between Sec. 21 & 28.

20.75 a Wh. Ash 12 in. diam.

40.00 Set gr. sec. post. (temp.)

59.75 a Sugar 8 in. diam.

80.00 Intersect N & S. line at 40 ft. N. of post.
Land &c. the same.

395

T 24 N. R. 15 E. 2nd Mer. Ind^a
Ch. 1st

East corner line betwⁿ sec. 21 & 28.

20.00 Set q. sec. post, from which
a Hickory 15 in. dia. bears S 56° W, 13 lb. dist.

a Do. 12 " " " N 28° W, 12 " "

80.00 Sec. cor.

East Between Sec. 22 & 27.

25.00 a Beech 14 in. dia.

40.00 Set q. sec. post, from which
a Beech 10 in. dia. bears S 70° W, 28 lb. dist.

a Do. 10 " " " N 16° W, 29 " "

59.30 a Beech 6 in. diam.

71.00 Intersect the State line and set
post cor. to "Tract" Sec. 22 & 27, fr. wh.

a Sugar 12 in. dia. bears N 65° W, 14 lb. dist.

a Elm 18 " " " N 18° W, 36 " "

Land & Timber the same.

North Between Sec. 21 & 22.

Dec. 23rd 1822.

20.50 a Beech 15 in. diam.

40.00 Set q. sec. post, from which
a Beech 10 in. dia. bears S 99° E, 30 lb. dist.

a Do. 20 " " " N 39° W, 29 " "

60.40 a Beech 8 in. dia.

80.00 Set post cor. to Sec. 15, 16, 21 & 22, from wh.

a Hickory 18 in. dia. bears S 43° W, 28 lb. dist.

a Do. 14 " " " N 48° E, 6 " "

Land &c, the same.

West On Random Betwⁿ Sec. 16 & 21.

20.50 a Hickory 20 in. diam.

40.00 Set temp. q. sec. post.

60.20 an Iron wood 5 in. diam.

80.50 Intersect N & S. line 20 lb. N. of post.

Land &c, the same.

396

S. 24 N. Twp. 15 E. 2nd Mer. Ind. #ch. 1stEast Corner line betw^{en} Sect. 16 & 21.

20.05 a Beech 8 in. diam.

40.25 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 3 E. 30 lks. dist., and
a Do. 10 " " " N 43 W. 9 lks. dist.,

80.50 Sec. cor.

East Between Sect. 15 & 22.

20.00 a Beech 20 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears S 25 W. 2 lks. dist., &
a Do. 15 " " " N 4 E. 14 lks. dist.→ 72.00 Intersect the State line & Set post Cor.
to Sect. 15 & 22. from which
a Beech 8 in. dia. bears S 50 W. 28 lks. dist., &
a Do. 20 " " " S 22 W. 50 lks. dist.

60.25 a Do. 8 in. dia.

68.50 a Stream 10 lks. wide course N.
Land &c. the same.

North Between Sect. 15 & 16.

22.40 a Beech 10 in. dia. bears

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N 62 E. 25 lks. dist. &
a Do. 12 " " " S 40 W. 15 lks. dist.

60.80 a Do. 18 " "

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
a Wh. Oak 18 in. dia. bears N 25 W. " " &
a Beech 12 " " " S 25 E. 33 lks. dist.
Land &c. the same.

West On Random between Sect. 9 & 16.

Christmas, cold day.

21.60 a Wh. Oak 12 in. dia.

40.00 Set amp. gr. Sec. post.

80.40 Intersect N & E. line 10 lks. E. of post.

T. 24 N. R. 15 E. 2nd Mer. Ind. Co.
 Land as the same.

East Corner line betwⁿ Sec. 9 & 16.
 20.00 a Bl. Ash 6 in. diam.
 40.20 Set gr. Sec. post. from which
 a Bl. Ash 6 in. dia. bears S 42 W. 20 lks. dist. &
 a Hickory 6 " " " N 45 E. 19 " "
 80.40 Sec. cor.

East Between Sec. 10 & 15.
 20.00 a Beech 6 in. diam.
 40.00 Set gr. Sec. post. from which
 a White Beech 6 in. dia. bears S 86 W. 30 lks. &
 a White Ash 6 " " " N 68 E. 14 " dist.
 62.50 a Beech 12 in. dia.
 72.20 Intersect the State line & set a
 post cor. to Sec. 10 & 15. from wh.
 a Hickory 12 in. dia. bears S 41 W. 46 lks. dist.
 a Sugar 8 " " " N 29 W. 54 " "
 Land &c, the same.

North Between Sec. 9 & 10.
 25.30 an Elm 24 in. diam.
 40.00 Set gr. Sec. post. from which
 a Bl. Ash 6 in. dia. bears N 44 W. 9 lks. dist. &
 a Do. 6 " " " N 65 E. 19 " "
 62.90 a W. Oak 18 in. diam.
 80.00 Set post cor. to Sec. 3, 4, 9 & 10. from wh.
 a Beech 22 in. dia. bears N 45 E. 17 lks. dist. &
 an Elm 10 " " " S 74 W. 35 " "
 Land &c, the same.

See Random line at end of this Township.
 East On Corner line between Sec. 4 & 9.
 a Bl. Ash 8 in. diam.
 39.25 Set gr. Sec. post. from which
 a Beech 11 in. diam. bears N 11 W. 17 lks. dist. &

398

T. 24 N. R. 15 E. 2nd Mer. Ind. ^a

Ch. Wk.

78.50 a Sugar 11 in. dia. bears S 70 E. 28 lb. dist.
Sec. 100.

East Between Sections 3 & 10.

21.50 a W. Oak 3 in. diam.

40.00 Set G. Sec. post, from which
a Beech 18 in. dia. bears N 39 W. 20 lb. dist.
a Sugar 6 " " " S 70 E. 19 lb. dist. &

59.75 an Ironwood 6 in. dia.

73.00 Intersect the State line & Set post-
Cor. to Sec. 3 & 10. from which
a W. Oak 3 1/2 in. dia. bears N 50 W. 48 lb. &
a Sugar 12 in. dia. " South 15 " dist.
Land &c, the same.

North Between Sec. 3 & 4.

6.50 a Stream 10 lb. wide course N. W.

22.60 a Hickory 14 in. diam.

24.50 Cropped the same stream course N. E.

40.00 Set G. Sec. post, from which
a Water Beech 4 in. dia. bears S 21 W. 25 lb.
a Hickory 10 in. dia. bears N 45 W. 50 lb. dist.

41.50 The Wabash River & Set a second
post, from which
a Blue Ash 6 in. dia. bears S 10 E. 12 lb. dist.
& a Do 6 " " " S 88 W. 10 " "

Dist. North across the River 1.60
set post on the North side from which
a Sycamore 30 in. dia. bears South 10 lb.
& an Elm 24 in. dia. bears N 10 W. 8 "

61.40 a Beech 8 " "

82.50 Intersect the North Boundary 2.30
lb. E. of post. & Set post Cor. to Sec.
3 & 4. from which
a W. Ash 4 in. dia. bears West, 20 lb. dist. &
a Beech 12 " " " East 10 " "

399

T 24 N. R. 15 E. 2nd Mer. Indth

Chs. No.

Land or, nearly the same.

Meanders of The Wabash River across Sec. 3, 24 N. R. 15 E, on the North side - down the River from the State Line. The Dist. from the N. E. cor. of the Township South to the River is 46.10. Thence

Courses Chs. Lhs.

West 5.50

S 85° W 3.50

N 66° W 3.50

S 54° W 2.00

S 31½° E 4.50

S 57° W 2.50

N 66¼° W 13.40

N 24° W 14.50

N 53½° W 4.20

S 69° W 5.50

N 25° W 2.80

N 8½° E 4.50

N 39° W 8.75

N 48° W 11.50

N 18° E 5.00

N 71° E 10.50

N 20° W 2.60

N 63½° W 8.30

North 3.00

Intersect N. Boundary went around the point and begun again. Thence

S 33° W 18.50

S 64° W 10.50

S 10° W 17.50

S 64° W 3.50

To post in line of Sec. 3 & 4.

400

S. 24 N. R. 15 E. 2nd Mer. Ind.

Chas. H. H. H. H.

S 62° W 2.10

N 53° W 5.80

N 1° W 10.75

S 80° W 5.20

S 21° W 6.39

S 51° W 11.00

N 58 1/2° W 10.80

N 81 1/2° W 6.50

S 75° W 4.00

S 85° W 3.00

N 36° W 4.50

N 7 1/2° W 4.00

N 46° W 3.60

S 51° W 6.25

N 28° W 8.55

S 89° W 5.15

S 70° W 5.00

S 86° W 9.50

across Sec. 4 down on the
North side

Intersect the line between Sec. 4 & 5.

S 89° W 8.00

S 76° W 6.50

N 71° W 5.50

N 87° W 18.00

N 67° W 4.00

N 37° W 6.00

N 20° W 8.00

N 69° W 7.50

N 85° W 17.00

N 63° W 4.25

across Sec. 5 down on the
North side

a stream 10 ft. wide

a stream 10 " " at 10.50.

Intersect the North Boundary.

Crossed the River then up
the River on the South side
across Sec. 5, from the N.
Boundary.

S 70° E 6.00

S 65° E 7.00

T. 24 N. R. 15 E. 2nd Mer. Ind^a 401

Course	Dist.
N 89 E	6.00
S 81 E	10.00
S 62 E	5.00
S 25 E	12.50
S 62 E	7.50
S 87 E	19.00
S 76 E	5.00
N 77 E	8.50
N 85 E	11.00

Intersect the line bet. Sec. 4 & 5.

N 80 E	10.70
N 74 E	5.00
S 32 E	8.50
N 85 E	6.25
S 27 E	11.00
N 84 E	11.00
S 72 E	5.50
N 45 E	6.65
N 61 E	8.68
N 45 1/4 E	6.00
N 24 E	7.00
S 77 E	2.40
S 12 W	4.69
South	4.00
S 35 E	5.10
S 64 E	3.50
N 61 E	2.75

across Sec. 4 up the River

the line between Sec. 3 & 4.

N 64 E	14.50
N 10 E	17.50
N 65 E	8.00
N 29 1/2 E	13.25
N 35 E	8.00

across Sec. 3. up stream

402

T. 24 N. R. 15 E. 2nd Mer. Ind^o

Courses	ch. fth.
South	5.50
S62E.	8.75
S65W	9.50
S25½W	6.45
S42½E	8.50
S54½E	6.20
S35E	6.40
S11W	4.50
S19E	3.50
S61E	3.00
N32E	2.00
N80E	4.00
S37½W	5.00
S21E	8.45
S17E	3.50
S70½E	8.65
S66E	6.50
N74E	3.58
N28E	2.45
N45W	5.56
N27W	3.48
S66E.	2.90
N85E.	3.50
N67E	7.80
East	5.50

Intersect the State line.

Township 24 North Range 15 East,
 2nd Mer. Indian was surveyed
 in 1822 by P. H. Kellogg.
 Dep. Sur.

403

T. 24 N. R. 15 E. 2nd Mer. Ind ^a/₁₁

8³ Omitted in proper place by mistake.
West On Random betwⁿ sections 4 & 9.
18.25 a Bl. Ash 18 in. diam.
4000 set tempy. gr. sec. post.
18.00 a Stream 8 ft. wide Course N. W.
57.60 a Beech 18 in. diam.
78.50 Intersect N & E line at post.
Land &c. the same as before.

I Certify that the foregoing transcripts
of the field notes of Tract Township
N^o. 24 North, Range N^o. 15 East 2nd
Mer. Indiana, has been compared
with the Original in this Office,
and found to be correct.
Surveyor General's Office
Cincinnati, March 27th 1845.
William Johnston
Sur. Genl.